Appln. No.: 10/728,979

Docket No: Q78853

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (Currently amended) A sequence display method, comprising:

a first step of accepting, by a sequence display device,

a plurality of similar nucleotide sequences or amino acid sequences and

information relating to mutations or similarities between-a the plurality of similar

nucleotide sequences or amino acid sequences; and

a second step of adding visual characteristics to the plurality of similar nucleotide

sequences or amino acid sequences according to said information relating to said mutations or

similarities and displaying said plurality of similar nucleotide sequences or amino acid

sequences; and

a third step of adding links between said plurality of similar nucleotide sequences or

amino acid sequences and relevant information and displaying the plurality of similar nucleotide

sequences or amino acid sequences, the visual characteristics, and the links.

2. (Original) A sequence display method according to claim 1, wherein said visual

characteristics are added to regions of mutation and/or regions of similarity in said plurality of

similar nucleotide sequences or amino acid sequences.

Appln. No.: 10/728,979

3. (Original) A sequence display method according to claim 1, wherein said visual

Docket No: Q78853

characteristics are added in accordance with the degree of said mutation and/or similarity.

4. (Withdrawn) A sequence display method according to claim 2, wherein said

visual characteristics are added in accordance with the frequency of mutation in said regions of

mutation.

5. (Withdrawn) A sequence display method according to claim 2, wherein said

visual characteristics are added based on amino acid information that includes the names and

properties of amino acids that correspond to codons in said plurality of similar nucleotide

sequences.

6. (Original) A sequence display method according to claim 1, wherein said visual

characteristics are displayed using display color.

7. (Original) A sequence display method according to claim 1, wherein said visual

characteristics are displayed using variation of display color.

8. (Withdrawn) A sequence display method according to claim 1, wherein said

visual characteristics are displayed using varieties of characters.

Appln. No.: 10/728,979

9. (Original) A sequence display method according to claim 1, wherein, in said second

Docket No: Q78853

step, corresponding nucleotides or amino acids in each sequence are displayed in alignment.

10. (Canceled).

11. (Currently amended) A sequence display device, comprising:

a first means for accepting

a plurality of similar nucleotide sequences or amino acid sequences and information relating to mutation and/or similarity in-a the plurality of similar nucleotide sequences or amino acid sequences; and

a second means for adding links between said plurality of similar nucleotide sequences or amino acid sequences and relevant information; and

a second third means for adding visual characteristics to said plurality of similar nucleotide sequences or amino acid sequences in accordance with said information relating to mutation and/or similarity and displaying said plurality of similar nucleotide sequences or amino acid sequences, the visual characteristics, and the links.

12. (currently amended) A sequence display device according to claim 11, wherein said-second third means adds said visual characteristics to regions of mutation and/or regions of similarity in said plurality of similar nucleotide sequences or amino acid sequences.

Appln. No.: 10/728,979

13. (currently amended) A sequence display device according to claim 11, wherein

Docket No: Q78853

said-second third means adds said visual characteristics in accordance with the degree of said

mutation and/or said similarity.

14. (Withdrawn) A sequence display device according to claim 12, wherein said

second means adds said visual characteristics in accordance with the frequency of mutation in

said regions of mutation.

15. (Withdrawn) A sequence display device according to claim 12, wherein said

second means adds said visual characteristics based on amino acid information that includes the

names and properties of amino acids that correspond to codons in said plurality of similar

nucleotide sequences.

16. (currently amended) A sequence display device according to claim 11, wherein

said-second third means represents said visual characteristics using display color.

17. (currently amended) A sequence display device according to claim 11, wherein

said second third means represents said visual characteristics using variation of display color.

18. (Withdrawn) A sequence display device according to claim 11, wherein said

second means represents said visual characteristics using varieties of characters.

Appln. No.: 10/728,979

19. (currently amended) A sequence display device according to claim 11, wherein

Docket No: Q78853

said second-third means displays with corresponding nucleotides or amino acids in each

sequence in alignment.

20. (Canceled).

21. (currently amended) A sequence display program product for eausing a

computer to execute each of comprising a computer readable medium having instructions, said

instructions facilitating a computer to perform the steps described in claim 1.

22. (Currently amended) A sequence display program product for causing a

computer to execute each of comprising a computer readable medium having instructions, said

instructions facilitating a computer to perform the steps described in claim 2.

23. (Currently amended) A sequence display program product for causing a

computer to execute each of comprising a computer readable medium having instructions, said

instructions facilitating a computer to perform the steps described in claim 3.

24. (Withdrawn) A sequence display program product for causing a computer to

execute each of comprising a computer readable medium having instructions, said instructions

facilitating a computer to perform the steps described in claim 4.

Appln. No.: 10/728,979

25. (Withdrawn) A sequence display program product for causing a computer to

Docket No: Q78853

execute each of the steps described in claim 5.

26. (currently amended) A sequence display program product for causing a

computer to execute each of comprising a computer readable medium having instructions, said

instructions facilitating a computer to perform the steps described in claim 6.

27. (currently amended) A sequence display program product for causing a

computer to execute each of comprising a computer readable medium having instructions, said

instructions facilitating a computer to perform the steps described in claim 7.

28. (Withdrawn) A sequence display program product for causing a computer to

execute each of the steps described in claim 8.

29. (currently amended) A sequence display program product for causing a

computer to execute each of comprising a computer readable medium having instructions, said

instructions facilitating a computer to perform the steps described in claim 9.

30. (Canceled).

31. (Canceled).

AMENDMENT UNDER 37 C.F.R. § 1.111 Docket No: Q78853 Appln. No.: 10/728,979

32. (Canceled).

33. (Canceled).

34. (Withdrawn) A recording medium on which is recorded a sequence display program for causing a computer to execute each of the steps described in claim 4 and that can be read by a computer.

35. (Withdrawn) A recording medium on which is recorded a sequence display program for causing a computer to execute each of the steps described in claim 5 and that can be read by a computer.

36. (Canceled).

37. (Canceled).

38. (Withdrawn) A recording medium on which is recorded a sequence display program for causing a computer to execute each of the steps described in claim 8 and that can be read by a computer.

39. (Canceled).

Appln. No.: 10/728,979

40. (Canceled).

41. (Currently amended) A homology search method, comprising:

a fourth step of analyzing a query to a sequence database a nucleotide sequence or amino

acid sequence that has been submitted by a user to a sequence database;

a fifth step of generating search conditions that are appropriate for said sequence database

Docket No: Q78853

the submitted nucleotide sequence or amino acid sequence, based on the analysis results of said

fourth step; and

a sixth step of searching said sequence database for other nucleotide sequences or amino

acid sequences in accordance with the search conditions, so as to provide a plurality of similar

nucleotide sequences or amino acid sequences;

a sixth seventh step of analyzing the search results of said fifth step and generating

information relating to mutations and/or similarities in-a the plurality of similar nucleotide

sequences or amino acid sequences; and

a seventh step of using information that has been generated in said sixth step and a an

eighth step of performing the first, second, and third steps in the sequence display method

described in claim 1-to display search results of said fifth step.

42. (Currently amended) A homology search method, comprising:

a fourth step of analyzing a query to a sequence database nucleotide sequence or amino

acid sequence that has been submitted by a user to a sequence database;

Appln. No.: 10/728,979

a fifth step of generating search conditions that are appropriate for said sequence database

Docket No: Q78853

the submitted nucleotide sequence or amino acid sequence, based on the analysis results of said

fourth step; and

a sixth step of searching said sequence database for other nucleotide sequences or amino

acid sequences in accordance with the search conditions, so as to provide a plurality of similar

nucleotide sequences or amino acid sequences;

a sixth-seventh step of analyzing the search results of said fifth step and generating

information relating to mutations and/or similarities in-a the plurality of similar nucleotide

sequences or amino acid sequences; and

a seventh step of using information that has been generated in said sixth step and a an

eighth step of performing the first, second, and third steps in the sequence display method

described in claim 2-to display search results of said fifth step.

43. (Currently amended) A homology search method, comprising:

a fourth step of analyzing a query to a sequence database-nucleotide sequence or amino

<u>acid sequence</u> that has been submitted by a user to a sequence database;

a fifth step of generating search conditions that are appropriate for said sequence database

the submitted nucleotide sequence or amino acid sequence, based on the analysis results of said

fourth step; and

Appln. No.: 10/728,979

Docket No: Q78853

a sixth step of searching said sequence database for other nucleotide sequences or amino

acid sequences in accordance with the search conditions, so as to provide a plurality of similar

nucleotide sequences or amino acid sequences;

a sixth seventh step of analyzing the search results of said fifth step and generating

information relating to mutations and/or similarities in-a the plurality of similar nucleotide

sequences or amino acid sequences; and

a seventh step of using information that has been generated in said sixth step and a an

eighth step of performing the first, second, and third steps in the sequence display method

described in claim 3-to display search results of said fifth step.

44. (Withdrawn) A homology search method, comprising:

a fourth step of analyzing a query to a sequence database that has been submitted by a

user;

a fifth step of generating search conditions that are appropriate for said sequence database

based on the analysis results of said fourth step and searching said sequence database;

a sixth step of analyzing the search results of said fifth step and generating information

relating to mutations and/or similarities in a plurality of similar nucleotide sequences or amino

acid sequences; and

a seventh step of using information that has been generated in said sixth step and a

sequence display method described in claim 4 to display search results of said fifth step.

Appln. No.: 10/728,979

45. (Withdrawn) A homology search method, comprising:

a fourth step of analyzing a query to a sequence database that has been submitted by a

Docket No: Q78853

user;

a fifth step of generating search conditions that are appropriate for said sequence database

based on the analysis results of said fourth step and searching said sequence database;

a sixth step of analyzing the search results of said fifth step and generating information

relating to mutations and/or similarities in a plurality of similar nucleotide sequences or amino

acid sequences; and

a seventh step of using information that has been generated in said sixth step and a

sequence display method described in claim 5 to display search results of said fifth step.

46. (Currently amended) A homology search method, comprising:

a fourth step of analyzing a query to a sequence database nucleotide sequence or amino

acid sequence that has been submitted by a user to a sequence database;

a fifth step of generating search conditions that are appropriate for said sequence database

the submitted nucleotide sequence or amino acid sequence, based on the analysis results of said

fourth step; and

a sixth step of searching said sequence database for other nucleotide sequences or amino

acid sequences in accordance with the search conditions, so as to provide a plurality of similar

nucleotide sequences or amino acid sequences;

Appln. No.: 10/728,979

a sixth-seventh step of analyzing the search results of said fifth step and generating

Docket No: Q78853

information relating to mutations and/or similarities in-a the plurality of similar nucleotide

sequences or amino acid sequences; and

a seventh-step of using information that has been generated in said sixth step and a an

eighth step of performing the first, second, and third steps in the sequence display method

described in claim 6-to display search results of said fifth step.

A homology search method, comprising: 47. (Currently amended)

a fourth step of analyzing a query to a sequence database-nucleotide sequence or amino

acid sequence that has been submitted by a user to a sequence database;

a fifth step of generating search conditions that are appropriate for said sequence database

the submitted nucleotide sequence or amino acid sequence, based on the analysis results of said

fourth step; and

a sixth step of searching said sequence database for other nucleotide sequences or amino

acid sequences in accordance with the search conditions, so as to provide a plurality of similar

nucleotide sequences or amino acid sequences;

a sixth-seventh step of analyzing the search results of said fifth step and generating

information relating to mutations and/or similarities in-a the plurality of similar nucleotide

sequences or amino acid sequences; and

Appln. No.: 10/728,979

Docket No: Q78853

a seventh step of using information that has been generated in said sixth step and a an

eighth step of performing the first, second, and third steps in the sequence display method

described in claim 7-to display search results of said fifth step.

48. (Withdrawn) A homology search method, comprising:

a fourth step of analyzing a query to a sequence database that has been submitted by a

user;

a fifth step of generating search conditions that are appropriate for said sequence database

based on the analysis results of said fourth step and searching said sequence database;

a sixth step of analyzing the search results of said fifth step and generating information

relating to mutations and/or similarities in a plurality of similar nucleotide sequences or amino

acid sequences; and

a seventh step of using information that has been generated in said sixth step and a

sequence display method described in claim 8 to display search results of said fifth step.

49. (Currently amended) A homology search method, comprising:

a fourth step of analyzing a query to a sequence database-nucleotide sequence or amino

acid sequence that has been submitted by a user to a sequence database;

a fifth step of generating search conditions that are appropriate for said sequence database

the submitted nucleotide sequence or amino acid sequence, based on the analysis results of said

fourth step; and

Appln. No.: 10/728,979

a sixth step of searching said sequence database for other nucleotide sequences or amino

Docket No: Q78853

acid sequences in accordance with the search conditions, so as to provide a plurality of similar

nucleotide sequences or amino acid sequences;

a sixth seventh step of analyzing the search results of said fifth step and generating

information relating to mutations and/or similarities in-a the plurality of similar nucleotide

sequences or amino acid sequences; and

a seventh step of using information that has been generated in said sixth step and a an

eighth step of performing the first, second, and third steps in the sequence display method

described in claim 9 to display search results of said fifth step.

50. (Canceled).

51. (Currently amended) A homology search device, comprising:

a fourth means for analyzing a query to a sequence database nucleotide sequence or

amino acid sequence that has been submitted by a user to a sequence database;

a fifth means for generating search conditions that are appropriate for said sequence

database the submitted nucleotide sequence or amino acid sequence, based on analysis results

produced by said fourth means and, wherein

said fifth means is also a means for searching said sequence database for other

nucleotide sequences or amino acid sequences in accordance with the search conditions,

so as to provide a plurality of similar nucleotide sequences or amino acid sequences;

Appln. No.: 10/728,979

a sixth means for analyzing search results produced by said fifth means and generating information relating to mutations and/or similarities in a the plurality of similar nucleotide sequences or amino acid sequences; and

Docket No: Q78853

sequence display device according to claim 11 to display search results produced by said fifth means the first, second, and third means recited in claim 11.

52. (Currently amended) A homology search device, comprising:

a fourth means for analyzing a query to a sequence database nucleotide sequence or amino acid sequence that has been submitted by a user to a sequence database;

a fifth means for generating search conditions that are appropriate for said sequence database the submitted nucleotide sequence or amino acid sequence, based on analysis results produced by said fourth means and, wherein

said fifth means is also a means for searching said sequence database for other nucleotide sequences or amino acid sequences in accordance with the search conditions, so as to provide a plurality of similar nucleotide sequences or amino acid sequences; a sixth means for analyzing search results produced by said fifth means and generating information relating to mutations and/or similarities in a the plurality of similar nucleotide sequences or amino acid sequences; and

Appln. No.: 10/728,979

Docket No: Q78853

a seventh means for using information that has been generated by said sixth means and a sequence display device according to claim 11 to display search results produced by said fifth means the first, second, and third means recited in claim 12.

53. (Currently amended) A homology search device, comprising:

a fourth means for analyzing a query to a sequence database nucleotide sequence or amino acid sequence that has been submitted by a user to a sequence database;

a fifth means for generating search conditions that are appropriate for-said sequence database the submitted nucleotide sequence or amino acid sequence, based on analysis results produced by said fourth means-and, wherein

said fifth means is also a means for searching said sequence database for other nucleotide sequences or amino acid sequences in accordance with the search conditions, so as to provide a plurality of similar nucleotide sequences or amino acid sequences; a sixth means for analyzing search results produced by said fifth means and generating information relating to mutations and/or similarities in a the plurality of similar nucleotide sequences or amino acid sequences; and

a seventh means for using information that has been generated by said sixth means and a sequence display device according to claim 11 to display search results produced by said fifth means the first, second, and third means recited in claim 13.

54. (Withdrawn) A homology search device, comprising:

Appln. No.: 10/728,979

a fourth means for analyzing a query to a sequence database that has been submitted by a

Docket No: Q78853

user;

a fifth means for generating search conditions that are appropriate for said sequence

database based on analysis results produced by said fourth means and searching said sequence

database;

a sixth means for analyzing search results produced by said fifth means and generating

information relating to mutations and/or similarities in a plurality of similar nucleotide sequences

or amino acid sequences; and

a seventh means for using information that has been generated by said sixth means and a

sequence display device according to claim 14 to display search results produced by said fifth

means.

55. (Withdrawn) A homology search device, comprising:

a fourth means for analyzing a query to a sequence database that has been submitted by a

user;

a fifth means for generating search conditions that are appropriate for said sequence

database based on analysis results produced by said fourth means and searching said sequence

database;

a sixth means for analyzing search results produced by said fifth means and generating

information relating to mutations and/or similarities in a plurality of similar nucleotide sequences

or amino acid sequences; and

Appln. No.: 10/728,979

Docket No: Q78853

a seventh means for using information that has been generated by said sixth means and a sequence display device according to claim 15 to display search results produced by said fifth means.

56. (Currently amended) A homology search device, comprising:

a fourth means for analyzing a query to a sequence database nucleotide sequence or amino acid sequence that has been submitted by a user to a sequence database;

a fifth means for generating search conditions that are appropriate for said sequence database the submitted nucleotide sequence or amino acid sequence, based on analysis results produced by said fourth means-and, wherein

said fifth means is also a means for searching said sequence database for other nucleotide sequences or amino acid sequences in accordance with the search conditions, so as to provide a plurality of similar nucleotide sequences or amino acid sequences; a sixth means for analyzing search results produced by said fifth means and generating information relating to mutations and/or similarities in a the plurality of similar nucleotide sequences or amino acid sequences; and

a seventh means for using information that has been generated by said sixth means and a sequence display device according to claim 11 to display search results produced by said fifth means the first, second, and third means recited in claim 16.

AMENDMENT UNDER 37 C.F.R. § 1.111 Docket No: Q78853

Appln. No.: 10/728,979

57. (Currently amended) A homology search device, comprising:

a fourth means for analyzing a query to a sequence database nucleotide sequence or amino acid sequence that has been submitted by a user to a sequence database;

a fifth means for generating search conditions that are appropriate for said sequence database the submitted nucleotide sequence or amino acid sequence, based on analysis results produced by said fourth means and, wherein

said fifth means is also a means for searching said sequence database for other nucleotide sequences or amino acid sequences in accordance with the search conditions, so as to provide a plurality of similar nucleotide sequences or amino acid sequences;

a sixth means for analyzing search results produced by said fifth means and generating information relating to mutations and/or similarities in a the plurality of similar nucleotide sequences or amino acid sequences; and

a seventh means for using information that has been generated by said sixth means and a sequence display device according to claim 11 to display search results produced by said fifth means the first, second, and third means recited in claim 17.

58. (Withdrawn) A homology search device, comprising:

a fourth means for analyzing a query to a sequence database that has been submitted by a user;

Appln. No.: 10/728,979

Docket No: Q78853

a fifth means for generating search conditions that are appropriate for said sequence

database based on analysis results produced by said fourth means and searching said sequence

database;

a sixth means for analyzing search results produced by said fifth means and generating

information relating to mutations and/or similarities in a plurality of similar nucleotide sequences

or amino acid sequences; and

a seventh means for using information that has been generated by said sixth means and a

sequence display device according to claim 18 to display search results produced by said fifth

means.

59. (Currently amended) A homology search device, comprising:

a fourth means for analyzing a query to a sequence database-nucleotide sequence or

amino acid sequence that has been submitted by a user to a sequence database;

a fifth means for generating search conditions that are appropriate for said sequence

database the submitted nucleotide sequence or amino acid sequence, based on analysis results

produced by said fourth means-and, wherein

said fifth means is also a means for searching said sequence database for other

nucleotide sequences or amino acid sequences in accordance with the search conditions,

so as to provide a plurality of similar nucleotide sequences or amino acid sequences;

Appln. No.: 10/728,979

Docket No: Q78853

a sixth means for analyzing search results produced by said fifth means and generating

information relating to mutations and/or similarities in-a the plurality of similar nucleotide

sequences or amino acid sequences; and

a seventh means for using information that has been generated by said sixth means and a

sequence display device according to claim 11 to display search results produced by said fifth

means the first, second, and third means recited in claim 19.

60. (Canceled).

61. (Currently amended) A homology search device according to claim 51, further

comprising an eighth a means for controlling the operation of the first, second, third, fourth

means, the fifth means, and the sixth means, and the seventh means.

62. (Currently amended) A homology search program product for causing a

computer to execute each of comprising a computer readable medium having instructions, said

instructions facilitating a computer to perform the steps described in claim 41.

63. (Canceled).